| STATE | COUNTY | CITY | YEAR | MONTH | DAY | ACTIVITY | COMMENTS | SCHORGER PAGES |
|-------|-----------|---------------|------|-------|-----|-----------|--|-------------------|
| ОН | Ashland | Ashland | | | | | birds are becoming les abundant | 1623 |
| ОН | Ashtabula | Jefferson | 1856 | 6 | | Migration | Pigeons arrived and started eating all the crops that they could | 1361 |
| ОН | Ashtabula | Ashtabula | 1876 | | | | a dense fog threw off their migration - millions washed up on canadian shores | 1711 |
| ОН | Champaign | Mechanicsburg | 1882 | 3 | | | Pigeons have passed for several days | 2035 |
| ОН | Champaign | Mechanicsburg | 1883 | 3 | | | Some small flocks passed over going north | 2038 |
| ОН | Champaign | Woodstock | 1879 | 7 | | | Pigeons have been interesting to study | 2111 |
| ОН | Clark | Springfield | 1882 | 4 | | | Pigeons driven away | 2035 |
| ОН | Cuyahoga | Cleveland | 1853 | 10 | 15 | roost | extensive roost | 110 |
| ОН | Cuyahoga | Cleveland | 1857 | 9 | 15 | | wooded swamp visited for over two weeks 30 mi south | 126 |
| ОН | Cuyahoga | Cleveland | 1860 | 3 | | Roost | Pigeons were flying around in innumerable quantities over the city | 1510 |
| ОН | Cuyahoga | Cleveland | 1903 | | | | Pigeons used to be so abundant, but now every single flock around seems to have been wiped out | 1544 |
| ОН | Cuyahoga | Cleveland | 1881 | | | | Great colony of pigeons north of Lake Erie, came daily in great masses to Cleveland | 2138 |

| ОН | Cuyahoga | Cleveland | 1851 | 2 | | | Immense numbers reached the lake and suddenly turned back | 2145 |
|----|-----------|---------------|------|----|----|-----------|---|------|
| ОН | Cuyahoga | Cleveland | 1849 | | | | At night, millions found roosting in the woods, especially in the beech groves | 2208 |
| ОН | Cuyahoga | Cleveland and | 1853 | 10 | | roost | extensive roost alive with pigeons | 2243 |
| ОН | Cuyahoga | Cleveland | | 2 | 6 | | pigeons' crops at the market have crops filled with cultivated grain and acorns | 2237 |
| ОН | Fairfield | Buckeye Lake | 1912 | | | | The Bloody Run swamp was fertile due to the great number of pigeons that used to roost there | 2106 |
| ОН | Franklin | Columbus | 1855 | 4 | | | Hunting of pigeons used to take place for days and days and no one thought it was causing any harm | 1559 |
| ОН | Franklin | Columbus | 1854 | | | migration | general migration of these birds; the light of the sun was perceptibly obscured by immense, unbroken, limitless flock; passed for several hours | 115 |
| OH | Franklin | Columbus | 1854 | | | | immense flight lasting 1.5 hours | 115 |
| ОН | Fulton | Fayette | | 3 | 15 | migration | pigeons migrating | 2339 |
| ОН | Greene | Fairborn | 1875 | _ | | | immense numbers | 233 |
| ОН | Greene | Xenia | 1886 | | | | Fed on beechnuts | 2200 |
| ОН | Hamilton | Cincinnati | 1865 | 10 | 15 | | large flight lasting greater part of three days | 167 |

| ОН | Hamilton | Cinncinnati | 1914 | | | | Last passenger pigeon died in Cinncinnati zoo | 1112 |
|----|----------|-------------|------|----|----|-----------|---|------|
| ОН | Hamilton | Cincinnati | 1914 | 9 | 1 | | Records on Martha are sadly in conflict. 29 years old. Died at 5 PM 9/1/1914. | 1118 |
| ОН | Hamilton | Cincinnati | | | | | Martha was hatched at Cincinnati Zoo. She was named after Martha Washington. | 1118 |
| ОН | Hamilton | Cincinnati | 1865 | 10 | | Migration | Clouds of birds that passed over the city for days | 1380 |
| ОН | Hamilton | Cincinnati | 1914 | 9 | 2 | | Martha's body will be shipped to Washington to be preserved at the Smithsonian Institute | 1511 |
| ОН | Hamilton | Cincinnati | 1938 | 1 | 20 | | Martha's body will visit her old hometown, to show the need for conservation, and the loss of a once-abundant species | 1512 |
| ОН | Hamilton | Cincinnati | 1830 | | | | mentions hunting competitions | 1652 |
| ОН | Hamilton | Cincinnati | 1877 | 4 | | | describes mating and nesting in captivity | 1657 |
| ОН | Hamilton | Cincinnati | 1914 | 8 | 29 | | Death of the last passenger pigeon | 2097 |
| ОН | Hamilton | Cincinnati | 1913 | 5 | | | One remaining passenger pigeon is still alive | 2098 |
| ОН | Hamilton | Cincinnati | 1938 | 1 | | | Martha, the last passenger pigeon, died in 1914 | 2099 |
| ОН | Hamilton | Cincinnati | 1914 | 9 | 1 | | Ectopistes migratorius became extinct on September 1 | 2100 |
| ОН | Hamilton | Cincinnati | 1875 | | | | When the zoological garden opened, they had 22 pigeons | 2113 |

| ОН | Hamilton | Cincinnati | 1879 | 5 | | | The zoological garden had some success in getting their pigeons to reproduce | 2114 |
|----|----------|------------|------|----|----|----------|--|------|
| ОН | Hamilton | Cincinnati | 1910 | 7 | 10 | | The remaining male died of old age | 2151 |
| ОН | Hamilton | Cincinnati | | | | | A single egg was laid in the Cincinnati Zoological Gardens | 2159 |
| ОН | Hamilton | Cincinnati | 1881 | | | | Pigeon laid but one egg in Cincinnati Zoological Gardens | 2160 |
| ОН | Hamilton | Cincinnati | 1914 | | | | Last pigeon died in Cinncinnati Zoological Park on September 1, 1914 | 2180 |
| ОН | Hamilton | Cincinnati | | 10 | | Migrate | Fall migrations were a wonderful and impressive sight. | 2209 |
| ОН | Hamilton | Cincinnati | | | | | beechnuts and acorns swallowed whole; large, distended crops; feeding on poke berries | 2237 |
| ОН | Hamilton | Cincinnati | | | | roosting | several hundres flushed from a hedge | 2436 |
| ОН | Hocking | | 1861 | | | roost | large body of birds roosting in Hocking Hills; fed on corn fields | 145 |
| ОН | Licking | | 1845 | | | nest | last nesting in Licking County was 1845 or 1846 | 27 |
| ОН | Licking | | 1846 | | | nest | last nesting in Licking County was 1845 or 1846 | 27 |
| ОН | Licking | Granville | 1859 | 10 | 15 | | great flight | 135 |
| ОН | Licking | Johnstown | 1862 | 10 | 15 | roost | fine sport shooting birds at roost for four weeks. | 149 |
| ОН | Licking | | 1888 | | | | Flocks of perhaps 75 or 100 | 1573 |

| | | | | | | | were seen, that has been the biggest in some years, but still much lower than past numbers | |
|----|---------|--------------|--------------------|----|----|-----------|--|------|
| ОН | Licking | Kirkersville | | | | roost | Where 'millions' took refuge for the night | 1605 |
| ОН | Licking | Hebron | 1868 | 5 | | | hundreds of dead washed ashore after a storm | 1605 |
| ОН | Licking | | befor e 1855 | | | nest | | 1700 |
| ОН | Licking | Granville | 1859 | 11 | | roost | seen feeding | 1701 |
| ОН | Licking | Buckeye Lake | 1912 | | | | The Bloody Run swamp was fertile due to the great number of pigeons that used to roost there | 2106 |
| ОН | Licking | Granville | 1859 | 10 | | | Pigeons in the rear flew to the front rapidly while on the ground feeding | 2194 |
| ОН | Licking | Kirkersville | | | | | Distant feeding grounds from one to over two hundred miles | 2199 |
| ОН | Licking | Kirkersville | 1870 | | | Migrate | Flew high when migrating | 2212 |
| ОН | Licking | | | | | roosting | roosting in the swamp | 2432 |
| ОН | Logan | | 1862 | | | | birds moved from Johnstown, OH; stayed for two weeks then moved south | 149 |
| ОН | Logan | | 1862 | 12 | | Roost | Big roost in Logan county | 1459 |
| ОН | Logan | West Liberty | | 3 | 10 | migration | pigeons migrating | 2339 |
| ОН | Lucas | Toledo | 1887 | 7 | | | Ben Frost, raised several young pigeons | 2117 |

| ОН | Medina | Lodi | 1844 | 10 | 15 | roost | Vast flock of pigeons | 1165 |
|----|-----------|-------------|-------------------|----|----|----------------|---|------|
| | | | 1846 | | | | | |
| ОН | Medina | | 1880 | | | Roost | Could only see the sky in the little flecks between their wings | 2211 |
| ОН | Medina | Wadsworth | | 10 | | Roost | Flew over westward in the morning to feed in the beech woods, returning in the evening | 2224 |
| ОН | Medina | | | | | roosting | roosting in a swamp | 2434 |
| ОН | Medina | Lodi Swamp | | | | roosting | body of pigeons bending alders flat to the ground | 2441 |
| ОН | Mercer | | 1860 - 1870 | | | roost | Came to a roost by the thousands. | 1192 |
| ОН | Miami | Staunton | 1803 | | | roost | Pigeon roost 2 miles in length and half a mile in width. Congregated by the millions. Hundred nests in a single tree top. | 1027 |
| ОН | Miami | Troy | 1818 | | | roost | • | 1027 |
| ОН | Muskingum | Zanesville | 1819 | 10 | 14 | Nest | Immense flocks, the pigeons "love to be shot" | 1258 |
| ОН | Muskingum | | 1813 | | | roost/nes t | destroyed the timber in the area | 1624 |
| ОН | Pickaway | Circleville | 1850 | 4 | 15 | | great numbers; one net took 1,285 birds in one day | 103 |
| ОН | Pickaway | Circleville | 1861 | | | | shipped over 225 barrels of pigeons to New York and Boston | 145 |
| OH | Pickaway | Circleville | 1861 | 3 | 15 | | large numbers trapped and | 145 |

| | | | | | | | shipped; by April 5 total = 750 barrels. | |
|----|------------|---------------------|------|----|----|-----------|---|-----------|
| ОН | Pickaway | Circleville | 1861 | | | Roost | Roost in Hocking Hills | 1459 |
| ОН | Pickaway | Circleville | 1850 | | | | caught in a single net | 1700 |
| ОН | Pickaway | Circleville | 1861 | 3 | | | Large numbers of pigeons shipped | 2131 |
| ОН | Portage | Aurora | 1835 | | | roost | vast numbers; roost | 8 |
| ОН | Summit | Northfield | 1835 | | | roost | vast numbers; roost | 8 |
| ОН | Summit | Hudson | 1847 | 4 | 15 | | great numbers | 94 |
| ОН | Summit | Akron | 1815 | 4 | | Roost | Pigeons in the millions | 1378 |
| ОН | Summit | | 1835 | | | | Their flight darkened the sky | 2216 |
| ОН | Summit | Hudson | | 3 | 8 | migration | pigeons migrating | 2339 |
| ОН | Summit | Akron | | | | roosting | large roost in swamp | 2436 |
| ОН | Trumbell | North Bloomfield | | | | roosting | branches loaded to the utmost capacity with pigeons | 2441 |
| ОН | Trumbull | | 1878 | 2 | 25 | | millions roosting in Bloomfield Swamp | 258 |
| ОН | Trumbull | Bloomfield | 1878 | 1 | 20 | roost | large roost | 264 |
| ОН | Trumbull | Bloomfield | 1878 | 2 | 16 | roost | large roost | 264 |
| ОН | Trumbull | North Bloomfield | 1884 | 6 | | Roost | Flights of many square miles | 1291 |
| ОН | Trumbull | Bloomfiled | | 2 | 16 | roosting | roosting in a swamp | 2550 |
| ОН | Tuscarawas | Zoar | | | | | Myriads of birds were seen the year before | 1094 |
| ОН | Tuscarawas | Zoar | | | | | A field of pigeons. Thousands of the birds alighted on the trees. | 1094-1095 |
| ОН | Washington | Marietta | 1832 | 10 | 15 | roost | roost 3 miles square | 2 |
| ОН | Washington | Decatur | 1832 | 10 | 15 | roost | roost of 3 or 4 square miles | 2 |

| ОН | Washington | Marietta | 1840 | 9 | 15 | roost | roost covered several hundred acres | 16 |
|----|------------|-------------------|------|----|----|-----------|--|------|
| ОН | Washington | Waterford | 1803 | 5 | 13 | Roost | Roosts of 1000 acres and larger | 1308 |
| ОН | Washington | Marietta | 1832 | 2 | 1 | Migration | Pigeons would come to the area for the large amount of acorns to eat | 1323 |
| ОН | Washington | Marietta | 1841 | 9 | 15 | Roost | A "fine year for mast" brought many pigeons to the area | 1325 |
| ОН | Washington | Marietta | 1806 | | | roost | schoolchildren dismissed to see the flight | 1623 |
| ОН | Washington | Marietta | 1840 | 10 | | Roost | Pigeons uniformly visited the shore of the Ohio River for drinking | 2156 |
| ОН | Washington | Marietta | | 9 | | | feed on berries of <i>Phytolacca</i> decandra or poke | 2238 |
| ОН | Washington | Marietta | | 3 | | migration | pigeons arriving | 2343 |
| ОН | Washington | Waterford | 1801 | 10 | | roosting | such numbers of pigeons lodged upon trees | 2436 |
| ОН | Washington | Marietta | 1832 | 1 | | roosting | huge roost in large timber | 2436 |
| ОН | Washington | Marietta | 1840 | 10 | | roosting | roosting in second growth | 2436 |
| ОН | Washington | Marietta | 1833 | 1 | 1 | roosting | | 2550 |
| ОН | Wayne | West Salem | 1880 | 1 | 3 | Roost | Thousands and thousands of birds showed up, so dense you could kill 90 birds with one shot | 1445 |
| ОН | Wayne | West Salem | 1880 | 1 | | Roost | Beech was the chief tree in the region | 2108 |
| ОН | Wayne | | | 9 | 19 | migration | fall migration dates | 2350 |
| ОН | Wyandot | Upper Sandusky | 1875 | | | | immense numbers | 233 |

| ОН | | 1835 | | | | flock 30 miles by 4 or 5 broad | 8 |
|----|-----------|-------------------|----|----|-----------|---|------|
| ОН | | 1840 | 10 | 15 | | fine mast crop | 16 |
| ОН | | 1859 | | | | great flight at Pine creek | 135 |
| ОН | | 1867 | | | | caught birds on bait; birds broke up due to shooting and snow | 174 |
| ОН | | 1873 | | | | no nesting | 214 |
| ОН | | 1882 | | | | thick | 321 |
| ОН | | | | | | A tract of country about 15 miles square that is completely occupied by pigeons in the breeding season. | 1126 |
| ОН | | | | | | I fancy they breed towards the Ohio plains. | 1191 |
| ОН | | 1860 - 1870 | | | | Numerous in eastern Indian and Ohio. | 1192 |
| ОН | | 1835 | 4 | | Migration | Flocks 30 miles long by 4 or 5 broad, smaller each year | 1266 |
| ОН | | 1826 | 9 | | Migration | Pigeons come back each year to eat acorns off the same trees | 1322 |
| ОН | Waterford | 1801 | 11 | | roost | killed a forest of several hundred acres due to their roosting | 1713 |
| ОН | | 1838 | | | | Area is too well settled for pigeons | 2148 |
| ОН | | 1822 | | | | Nest of sticks was seen placed in a small tree | 2162 |
| ОН | | | | | | The Cooper's Hawk should been | 2175 |

| | | | numerous due to the great concentration of Passenger Pigeons | |
|----|------|---|---|------|
| ОН | 1834 | | The Goshawk will fly into the center of a flock, scattering them, before taking a pigeon | 2177 |
| ОН | | | Excessive hunting and trapping, as well as mature forest removal, led to the passenger pigeons extinction | 2181 |
| ОН | 1841 | | Clearing of forests takes away pigeons food supply | 2183 |
| ОН | 1863 | | Flight based on the principle of every one for himself | 2207 |
| ОН | | | Pigeons relied on beechnuts when nesting | 2231 |
| ОН | 1851 | 4 | vast numbers feeding upon grasshoppers | 2255 |